Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16	"ouchi, akihiro".in.	US-PGPUB; USPAT	OR	OFF	2005/08/22 16:10
L2	2297	345/173.ccls.	US-PGPUB; USPAT	OR	OFF	2005/08/22 16:10
L3	419	345/173.ccls. and handwrit$3	US-PGPUB; USPAT	OR	OFF	2005/08/22 16:11
L4	246	345/173.ccls. and handwrit$3 and storage	US-PGPUB; USPAT	OR	OFF	2005/08/22 16:11
L5	4	345/173.ccls. and handwrit$3 and storage and later near8 transmission	US-PGPUB; USPAT	OR	OFF	2005/08/22 16:11

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S79	8753	network and transmission and test and temporary and storage	US-PGPUB; USPAT	OR	OFF	2005/07/12 13:54
S80	2932	network and transmission and test and temporary near5 storage	US-PGPUB; USPAT	OR	OFF	2005/07/12 13:55
S81	343	network near10 test and transmission and temporary near5 storage	US-PGPUB; USPAT	OR	OFF	2005/07/12 13:55
S82	355	network near10 test and connection and temporary near5 storage	US-PGPUB; USPAT	OR	OFF	2005/07/12 13:55
S83	51	network near10 test same connection and temporary near5 storage	US-PGPUB; USPAT	OR	OFF	2005/07/12 13:59
S84	0	network and connection and failure and temporar near3 storage	US-PGPUB; USPAT	OR	OFF	2005/07/12 14:00
S85	2896	network and connection and failure and temporary near3 storage	US-PGPUB; USPAT	OR	OFF	2005/07/12 14:00
S86	122	network same connection same failure and temporary near3 storage	US-PGPUB; USPAT	OR	OFF	2005/07/12 14:01
S87	0	network same connection same failure same temporary near3 storage	US-PGPUB; USPAT	OR	OFF	2005/07/12 14:00
S88	115	network same connection same failure and reestablish and storage	US-PGPUB; USPAT	OR	OFF	2005/07/12 14:17
S89	106	network same connection same failure and reestablish and store	US-PGPUB; USPAT	OR	OFF	2005/07/12 14:17
S90	488	(connection communication) same failure and reestablish and store	US-PGPUB; USPAT	OR	OFF	2005/07/12 14:17
S91	13	(connection communication) same failure and reestablish same store	US-PGPUB; USPAT	OR	OFF	2005/07/12 14:21
S92	61	(connection communication) same failure same store and reestablish	US-PGPUB; USPAT	OR	OFF	2005/07/12 14:32
S93	59	link near3 monitor and failure and "fault tolerance"	US-PGPUB; USPAT	OR	OFF	2005/07/12 14:36
S94	468	"input device" and connection and "fault tolerance"	US-PGPUB; USPAT	OR	OFF	2005/07/12 14:36
S95	386	"input device" and connection and "fault tolerance" and store	US-PGPUB; USPAT	OR	OFF	2005/07/12 14:36
S96	34	"input device" and connection and "fault tolerance" same store	US-PGPUB; USPAT	OR	OFF	2005/07/12 14:38
S97	362	peripheral and connection and store and reestablish and failure	US-PGPUB; USPAT	OR	OFF	2005/07/12 14:39

S98	147	input same peripheral and connection and store and reestablish and failure	US-PGPUB; USPAT	OR	OFF	2005/07/12 14:40
S99	100	"data loss" and reestablish and connection	US-PGPUB; USPAT	OR	OFF	2005/07/12 14:40
S10 0	18	"data loss" and reestablish and connection and input near3 device	US-PGPUB; USPAT	OR	OFF	2005/07/12 14:40
S10 1	40	("4926414" | "4975914" | "5027269" | "5027316" | "5089958" | "5146452" | "5155842" | "5167010" | "5175847" | "5210746" | "5235599" | "5237677" | "5278977" | "5301309" | "5307354" | "5363503" | "5379278" | "5390326" | "5414817" | "5420917" | "5426770" | "5426773" | "5444693" | "5444695" | "5457556" | "5463764" | "5481699" | "5483637" | "5586937" | "5594861" | "5613060" | "5627964" | "5649136" | "5664088" | "5682471").PN. OR ("5835698"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 14:41
S10 2	1	"5243331".pn.	US-PGPUB; USPAT	OR	OFF	2005/07/12 15:20
S10 3	18	("3675208" | "3792462" | "4725830" | "4812832" | "4937778").PN. OR ("5243331"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 15:22
S10 4	162	fault adj tolerance and connection and reestablish and failure	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 15:22
S10 5	0	fault adj tolerance and connection and reestablish and failure and "prevent data loss"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 15:23
S10 6	733	"prevent data loss"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 15:23
S10 7	435	"prevent data loss" and connection	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 15:23
S10 8	12	"prevent data loss" and connection and reestablish	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 15:23
S10 9	17	"prevent data loss" and connection and (reestablish reconnect)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 15:23

S11 0	35	"prevent data loss" and connection and (reestablish reconnect reopen reinitialize)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 15:26
S11 1	200	input adj device and data adj loss and link and failure	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 15:26
S11 2	21	input adj device and data adj loss and link and failure and (reestablish reconnect)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 15:26
S11 3	25	("4501931" | "4633436" | "5063600" | "5179655" | "5274362" | "5325110" | "5343220" | "5420607" | "5565657").PN. OR ("5790114"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 15:37
S11 4	0	input adj device and connection adj montior	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 15:38
S11 5	114	input adj device and connection adj monitor	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 15:38
S11 6	80	input adj device and connection adj monitor and store	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 15:42
S11 7	604	input adj device and link near5 (monitor test evaluate)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 15:43
S11 8	394	input adj device and link near5 (monitor test evaluate) and store	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 15:43
S11 9	206	input adj device and link near5 (monitor test evaluate) and store and (failure disconnect broken)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 15:44
S12 0	15	input adj device and link near5 (monitor test evaluate) and store and (failure disconnect broken) and (reconnect reestablish)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 16:17
S12 1	48	connection near3 reestablish and input adj device and store	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 16:28
S12 2	901	input adj device and local near5 storage and connection and transmit near6 data	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 16:28
S12 3	5	input adj device and local near5 storage and connection near5 test and transmit near6 data	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 16:31
S12 4	173922	input adj device and connection neaer4 (test evaluate) and store	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 16:31

S12 5	327	input adj device and connection near4 (test evaluate) and store	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 16:31
S12 6	327	input adj device and connection near4 (test evaluate) and store	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 16:53
S12 7	54681	handheld neaer5 scanner and connection and store	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 16:53
S12 8	325	handheld near5 scanner and connection and store	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 16:55
S12 9	3	handheld near5 scanner and connection near4 (test evaluate)and store	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 16:55
S13 0	3	handheld near5 scanner and connection near4 (test evaluate) and store	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 16:56
S13 1	0	handheld near5 scanner and link near4 test and store	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 16:57
S13 2	245	handheld near5 scanner and network and connection and store	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 17:14
S13 3	28	handheld near5 scanner and network and connection and disconnected and store	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 17:14
S13 4	1	"6595420".pn.	USPAT	OR	OFF	2005/08/07 12:16
S13 5	1	"5808285".pn.	USPAT	OR	OFF	2005/08/07 12:16
S13 6	45	("3793636" | "3806131" | "3826900" | "3953798" | "3991389" | "4005388" | "4016532" | "4090135" | "4115662" | "4184116" | "4232299" | "4247908" | "4251798" | "4415065" | "4418277" | "4460120" | "4588881" | "4639606" | "4672658" | "4751500" | "4789983" | "4829540" | "4841132" | "4850009" | "4870391" | "4916441" | "4933538" | "5029183" | "5157687" | "5189291" | "5250790" | "5329106" | "5334821" | "5340971" | "5340973" | "5404001").PN. OR ("5808285").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/07 12:34

S137	112	host near3 detection and backup and input	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/07 12:35
S138	6	host near3 detection and backup and input and handheld	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/07 12:34
S139	35	host near3 detection and input and handheld	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/07 12:42
S140	149	(host connection) near3 detection and input and handheld	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/07 12:42
S141	39	(host connection) near3 detection and input and handheld and buffer	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/07 12:46
S142	1005	connection near4 failure and buffer	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/07 12:46
S143	79	connection near4 failure same buffer	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/07 12:48
S144	1	connection near4 failure same buffer and handheld	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/07 12:46
S145	54	connection near4 failure same buffer and input	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/07 12:54
S146	1430	connection near5 fail$4 and (buffer backup store) same input	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/07 12:54
S147	4207	connection near5 fail$4 and (buffer backup store) same (input data information)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/07 12:55
S148	268	test same connection near5 fail$4 and (buffer backup store) same (input data information)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/07 12:56
S149	7	test same connection near5 fail$4 and (buffer backup store) same (input data information) and handheld	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/07 12:55
S150	50	test same connection near5 fail$4 and (buffer backup store) same (input data information) and wireless	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/07 12:58
S151	749	connection near4 monitor and buffer same input	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/07 13:01

S15 2	13	connection near4 monitor and buffer same input and handheld	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/07 12:58
S15 3	731	connection near4 monitor and buffer same input	US-PGPUB; USPAT	OR	OFF	2005/08/07 13:01
S15 4	51	connection near4 monitor and buffer same input near4 device	US-PGPUB; USPAT	OR	OFF	2005/08/07 13:02
S15 5	10	handheld near5 input adj device and (connection link communication) near5 (test$4 monitor$4 fail$3) and (buffer$3 backup stor$4)	US-PGPUB; USPAT	OR	OFF	2005/08/07 13:04
S15 6	108	transmission near10 backup same connection	US-PGPUB; USPAT	OR	OFF	2005/08/16 16:17
S15 7	26	transmission near10 backup same connection same (test failure error)	US-PGPUB; USPAT	OR	OFF	2005/08/16 16:17
S15 8	52	("4751702" | "4958270" | "5093782" | "5138710" | "5155678" | "5170480" | "5276871" | "5379418").PN. OR ("5615364").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/16 16:40
S15 9	5	connection same reestablish same backup same (failure error)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/16 16:31
S16 0	2481	later near3 transmission and connection and (error failure)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/16 16:41
S16 1	356	later near3 transmission and connection and (error failure) and input adj device	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/16 16:44
S16 2	50	(backup store) same later near3 transmission and connection and (error failure) and input adj device	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/16 16:44